


■ Tensioned screens



Page
51 - PermScreen
Deluxe



52 - PermScreen



53 - HomeScreen
Deluxe
54 - HomeScreen



55 - CineFix



56 - EyelettedScreen



Features

Aluminium frame with black velvet cover absorbs light and prevents reflection.

Projection screen fabric secured at rear with snaps.

Deep black frame (7.5 cm wide) for maximum perceived clarity of projected image.

Sloping inner side of frame reduces shadow in image.

Simple mounting frame.

Permanent mounting on wall using materials provided.

Options

- ▶ Screen fabrics Matte White D and High Contrast D.
- ▶ Formats video (4:3) and HDTV (16:9).



▲ Luxurious, high quality tensioned screen with a sloping, black velvet frame.

Technical characteristics

- ▶ Aluminium frame (4.4 cm deep) with a black velvet cover.
- ▶ Matte White D: vinyl film with black backing; gain 1.0 and viewing angle 50° L/R.
- ▶ High Contrast D: grey vinyl film with black backing; gain 0.8 and viewing angle 40° L/R.
- ▶ Projection screen fabrics satisfy the requirements for fire resistance of construction materials and components.

Aspect ratio	Screen size hwx cm	Viewing size hwx cm	Nominal diagonal		Net weight in kg	Screen fabrics	
			cm	inches		Matte White D prod.code	High Contrast D prod.code
4:3	106x137	91x122	152	60	4	10630031	10630037
	124x160	109x145	183	72	5	10630032	10630038
	143x185	128x170	213	84	6	10630033	10630039
	167x218	152x203	254	100	9	10630034	10630040
	198x259	183x244	305	120	12	10630035	10630041
	244x320	229x305	381	150	15	10630036	10630042
16:9	129x218	114x203	234	92	8	10630043	10630047
	147x249	132x234	269	106	9	10630044	10630048
	162x279	147x264	302	119	10	10630045	10630049
	180x310	165x295	338	133	11	10630046	10630050

The diagonal sizes listed are approximate in accordance with the market standard. For advice regarding the right size and screen fabric see page 4-6 or consult the Screen Selector at www.projectascreens.com.

Features

Aluminium black frame with projection screen fabric secured with snaps at rear.

Black frame (4 cm wide) increases perceived clarity of projected image.


Built-in rear projection is possible with Da-Tex projection screen fabric.

Simple mounting frame.

Permanent mounting on wall using mounting materials provided.

Options

- ▶ Screen fabrics Matte White D, High Contrast D and Da-Tex rear projection screen fabric.
- ▶ Formats video (4:3) and HDTV (16:9).



▲ **Top quality, taut designed tensioned screen for permanent wall attachment.**

Technical characteristics

- ▶ Aluminium, square tube (4 cm deep) may be slid into each other. Powder coated in matte black.
- ▶ Matte White D: vinyl film with black backing; gain 1.0 and viewing angle 50° L/R.
- ▶ High Contrast D: grey vinyl film with black backing; gain 0.8 and viewing angle 40° L/R.
- ▶ Da-Tex rear projection screen fabric: translucent, grey vinyl; gain 1.8 and viewing angle 30° L/R. Seamless until 4.8m wide.
- ▶ Projection screen fabrics satisfy the requirements for fire resistance of construction materials and components.

Aspect ratio	Screen size h x w cm	Viewing size h x w cm	Nominal diagonal		Net weight in kg	Screen fabrics		
			cm	inches		Matte White D prod.code	High Contrast D prod.code	Da-Tex prod.code
4:3	99x130	91x122	152	60	4	10630061	10630082	10630076
	117x153	109x145	183	72	5	10630051	10630084	10630065
	136x178	128x170	213	84	6	10630054	10630085	10630067
	160x211	152x203	254	100	9	10630056	10630086	10630093
	191x252	183x244	305	120	12	10630059	10630087	10630094
	237x313	229x305	381	150	15	10630080	10630088	10630095
16:9	122x211	114x203	234	92	8	10630068	10630089	10630096
	140x242	132x234	269	106	9	10630071	10630090	10630097
	155x272	147x264	302	119	10	10630078	10630091	10630098
	173x303	165x295	338	133	11	10630081	10630092	10630099

Features

Aluminium frame with black velvet cover absorbs light and prevents reflection.

Sloping inner side of frame reduces shadow in image.

Projection screen fabric secured at rear with snaps.

Deep black frame (8 cm wide) for maximum perceived clarity of projected image.

Simple mounting frame.

Permanent mounting on wall using materials provided.

Options

- ▶ Screen fabrics Matte White D and High Contrast D.
- ▶ Formats video (4:3) and HDTV (16:9).



▲ Luxurious, high quality tensioned screen with a sloping, black velvet frame.

Technical characteristics

- ▶ Projecta products satisfy the strictest quality and safety requirements in Europe and are CE approved.
- ▶ Projecta ensures that the quality of its products are monitored by the TÜV/GS programme.
- ▶ Flat, aluminium frame (3 cm deep) with black velvet can be slid together.
- ▶ Matte White P: vinyl film with black backing; gain 1,0 and viewing angle 50° L/R.
- ▶ High Contrast D: grey vinyl film; gain 0,8 and viewing angle 40° L/R.
- ▶ Da-Tex rear projection screen fabric: translucent grey vinyl; gain 1,8 and viewing angle 30° L/R. Seamless until 4,8 m wide.
- ▶ High Contrast Sound: perforated grey vinyl film with black backing; gain 0,8 and viewing angle 45° L/R.
- ▶ Projection screen fabric(s) satisfies the requirements for fire safety for building materials and building components.

Aspect ratio	Screen size h x w cm	Viewing size h x w cm	Nominal diagonal cm inches	
4:3	136x176	120x160	200	79
	151x196	135x180	225	89
	166x216	150x200	254	100
	196x256	180x240	302	119
16:9	106x176	90x160	183	72
	118x196	102x180	207	81
	128x216	112x200	229	90
	151x256	135x240	269	106

Net weight in kg	Screen fabrics			
	Matte White P prod. code	High Contrast D prod. code	Da-Tex prod. code	High Contrast Sound prod. code
9	10600043	10600051	10600067	10600059
10	10600044	10600052	10600068	10600060
11	10600045	10600053	10600069	10600061
12	10600046	10600054	10600070	10600062
8	10600047	10600055	10600071	10600063
9	10600048	10600056	10600072	10600064
10	10600049	10600057	10600073	10600065
11	10600050	10600058	10600074	10600066

Features

Flat aluminum frame.

Sloping inner side of frame reduces shadow in image.

Projection screen fabric mounted on 4 sides via tension rods and hooks.

Black frame (8 cm wide) increases perceived clarity of projected image.

Simple mounting frame.

Permanent mounting on wall using materials provided.

Options

- ▶ Screen fabrics Matte White P and High Contrast D.
- ▶ Formats video (4:3) and HDTV (16:9).



▲ Beautiful matte black frame with screen fabric stretched all the way around the back for a perfectly taut projection surface.

Technical characteristics

- ▶ Projecta products satisfy the strictest quality and safety requirements in Europe and are CE approved.
- ▶ Projecta ensures that the quality of its products are monitored by the TÜV/GS programme.
- ▶ Flat, aluminium frame (3 cm deep) can be slid together. Powder coated matte black.
- ▶ Matte White P: vinyl film with black backing; gain 1,0 and viewing angle 50° L/R.
- ▶ High Contrast D: grey vinyl film; gain 0,8 and viewing angle 40° L/R.
- ▶ Da-Tex rear projection screen fabric: translucent grey vinyl; gain 1,8 and viewing angle 30° L/R. Seamless until 4,8 m wide.
- ▶ High Contrast Sound: perforated grey vinyl film with black backing; gain 0,8 and viewing angle 45° L/R.
- ▶ Projection screen fabric(s) satisfies the requirements for fire safety for building materials and building components.

Aspect ratio	Screen size h x w cm	Viewing size h x w cm	Nominal diagonal cm inches	
4:3	106x136	90x120	152	60
	136x176	120x160	200	79
	151x196	135x180	225	89
	166x216	150x200	254	100
	196x256	180x240	302	119
	241x316	225x300	375	150
	316x416	300x400	500	200
	391x516	375x500	597	239

Aspect ratio	Screen size h x w cm	Viewing size h x w cm	Nominal diagonal cm inches	
16:9	84x136	68x120	138	54
	106x176	90x160	183	72
	118x196	102x180	207	81
	128x216	112x200	229	90
	151x256	135x240	277	106

Net weight in kg	Screen fabrics			
	Matte White P prod. code	High Contrast D prod. code	Da-Tex prod. code	High Contrast Sound prod. code
7	10600009	10600031		
9	10600010	10600032	10600083	10600075
10	10600011	10600033	10600084	10600076
11	10600012	10600034	10600085	10600077
12	10600039	10600041	10600086	10600078
16	10630019		10630178	
21	10630020		10630179	
28	10630175		10630180	

6	10600013	10600035		
8	10600014	10600036	10600087	10600079
9	10600015	10600037	10600088	10600080
10	10600016	10600038	10600089	10600081
11	10600040	10600042	10600090	10600082

Features

Screen fabric is taut at the back (top/bottom) because of profiles and a unique tension/spring mechanism.

Extra wide black frame (9.5 cm wide) increases the perceived clarity of the projected image.


Plastic, sloping, matte black cover frame prevents distracting reflection and reduces the amount of shadow in the image.

Simple mounting frame.

Permanent mounting on wall with integrated brackets

Options

- ▶ Screen fabrics Matte White P and High Contrast D.
- ▶ Formats video (4:3) and HDTV (16:9).



- ▶ Steel inner frame with unique tension/spring mechanism covered with a beautifully designed plastic frame

Technical characteristics

- ▶ Projecta products satisfy the strictest quality and safety requirements in Europe and are CE approved.
- ▶ Projecta ensures that the quality of its products are monitored by the TÜV/GS programme.
- ▶ Steel frame (50x30mm) may be slid into each other. Powder coated in black.
- ▶ Matte White P: vinyl film with black backing; gain 1.0 and viewing angle 50° L/R.
- ▶ High Contrast D: grey vinyl film; gain 0,8 and viewing angle 40° L/R, weight ca. 490 g/m² and thickness ca. 0,26 mm.
- ▶ Projection screen fabric(s) satisfies the requirements for fire safety for building materials and building components.

Aspect ratio	Screen size h x w cm	Viewing size h x w cm	Nominal diagonal		Net weight in kg	Screen fabrics	
			cm	inches		Matte White P prod.code	High Contrast D prod.code
4:3	109x139	90x120	152	60	11	10600001	10600017
	139x179	120x160	200	79	15	10600002	10600018
	154x199	135x180	225	89	17	10600003	10600019
	169x219	150x200	254	100	19	10600004	10600020
16:9	87x139	68x120	138	54	9	10600005	10600021
	109x179	90x160	183	72	14	10600006	10600022
	121x199	102x180	207	81	15	10600007	10600023
	131x219	112x200	229	90	17	10600008	10600024

The diagonal sizes listed are approximate in accordance with the market standard. For advice regarding the right size and screen fabric see page 4-6 or consult the Screen Selector at www.projectascreens.com.

Features


Flat steel frame projection screen fabric stretched using elastic cords.

The edge with eyeletts is equipped with additional reinforcement.

Simple mounting of projection screen fabric and frame.

Options

- Formats square (1:1) and video (4:3).



▲ Broadly applicable projection screen stretched across frame using eyeletts and elastic cords.

Technical characteristics

- Steel frame (50x30 mm) may be slid into each other. Powder coated in black.
- Elastic cords through eyeletts and around frame every 20 cm.
- From 3-metre width on top with non-elastic cords.
- Matte White P: vinyl film; gain 1.0 and viewing angle 50° L/R.
- The projection screen fabric has a horizontal seam every 1.9 metres which is invisible during projection.
- Projection screen fabrics satisfy the requirements for fire resistance of construction materials and components.

Aspect ratio	Screen size h x w cm	Viewing size h x w cm	Nominal diagonal cm inches		Net weight in kg	Screen fabric Matte White P prod.code
1:1	250x250	220x220			32	10530057
	270x270	240x240			34	10530058
	310x310	280x280			40	10530059
	330x330	300x300			42	10530060
4:3	210x270	180x240	305	120	30	10530061
	240x310	210x280	368	145	35	10530062
	255x330	225x300	381	150	37	10530063
	330x430	300x400	508	200	49	10530064
	405x530	375x500	610	16 feet	63	10530065
	480x630	450x600	762	20 feet	79	10530066